

Thai Tank Terminal
Tank Report (simplified version)

Report Date 2024-06-04 13:07

From Date 2024-05-01 00:00

To Date 2024-06-01 00:00



PTT Asahi Chemical Company Limited

555/1 Energy Complex, Building A, 8th Floor,, 10900,
Bangkok, Thailand

Tank	Product	Opening stock			Inbound confirmed			Outbound confirmed			Adjustments & month end reconcile			Closing stock		
		KG	LT	BBL	KG	LT	BBL	KG	LT	BBL	KG	LT	BBL	KG	LT	BBL
TK0305	Acrylonitrile	0	0	0	833,548	1,028,536	6,474	0	0	0	2,013	2,484	16	835,561	1,031,020	6,490

Customer service email:

Visit us: https://www.vopak.com/terminals/thai-tank-terminal/?language_content_entity=en

All transactions are subject to our General Terms & Conditions. 1

Tank TK0305
Product on to date Acrylonitrile
Shell Capacity 1,150 CBM
Working Capacity 1,043,967 LT
Opening Balance 0 KG / 0 LT / 0 BBL at 60
Closing Balance 835,561 KG / 1,031,020 LT / 6,490 BBL at 60

Thai Tank Terminal
Tank Report (simplified version)

Report Date 2024-06-04 13:07
From Date 2024-05-01 00:00
To Date 2024-06-01 00:00



PTT Asahi Chemical Company Limited

555/1 Energy Complex, Building A, 8th Floor,, 10900, Bangkok

Start Date	End Date	Service Name	Source	Destination	Product	Customer Order Reference	Service Request Number	Confirmed Weight	Confirmed Volume	Confirmed Volume Secondary	Running Balance Weight	Running Balance Volume	Running Balance Volume Secondary
10-05-2024 17:10	10-05-2024 21:15	Incoming from marine vessel	TNS Logistic and agency Co. Ltd. PHUBAI PATTRA 5		Acrylonitrile	May_24	1002083 1 (1002083 1-1)	833,548 KG (Air)	1,028,536 LT	6,474 BBL at 60	833,548 KG	1,028,536 LT	6,474 BBL at 60
26-05-2024 23:59		Reconcile			Acrylonitrile	End of Month Reconciliation	2385119	2,013 KG (Air)	2,484 LT	16 BBL at 60	835,561 KG	1,031,020 LT	6,490 BBL at 60

Customer service email:

Visit us: https://www.vopak.com/terminals/thai-tank-terminal?language_content_entity=en

All transactions are subject to our General Terms & Conditions. 2

Thai Tank Terminal
Tank Report (simplified version)

Report Date 2024-06-04 13:08

From Date 2024-05-01 00:00

To Date 2024-06-01 00:00



PTT Asahi Chemical Company Limited

555/1 Energy Complex, Building A, 8th Floor,, 10900,
 Bangkok, Thailand

Tank	Product	Opening stock			Inbound confirmed			Outbound confirmed			Adjustments & month end reconcile			Closing stock		
		KG	LT	BBL	KG	LT	BBL	KG	LT	BBL	KG	LT	BBL	KG	LT	BBL
TK0306	Acrylonitrile	0	0	0	833,115	1,028,001	6,471	0	0	0	2,516	3,105	20	835,631	1,031,106	6,490

Customer service email:

Visit us: https://www.vopak.com/terminals/thai-tank-terminal/?language_content_entity=en

All transactions are subject to our General Terms & Conditions. 1

Tank TK0306
Product on to date Acrylonitrile
Shell Capacity 1,150 CBM
Working Capacity 1,043,941 LT
Opening Balance 0 KG / 0 LT / 0 BBL at 60
Closing Balance 835,631 KG / 1,031,106 LT / 6,490 BBL at 60

Thai Tank Terminal
Tank Report (simplified version)

Report Date 2024-06-04 13:08
From Date 2024-05-01 00:00
To Date 2024-06-01 00:00



PTT Asahi Chemical Company Limited

555/1 Energy Complex, Building A, 8th Floor,, 10900, Bangkok

Start Date	End Date	Service Name	Source	Destination	Product	Customer Order Reference	Service Request Number	Confirmed Weight	Confirmed Volume	Confirmed Volume Secondary	Running Balance Weight	Running Balance Volume	Running Balance Volume Secondary
10-05-2024 12:40	10-05-2024 17:02	Incoming from marine vessel	TNS Logistic and agency Co. Ltd. PHUBAI PATTRA 5		Acrylonitrile	May_24	1002083 1 (1002083 1-2)	833,115 KG (Air)	1,028,001 LT	6,471 BBL at 60	833,115 KG	1,028,001 LT	6,471 BBL at 60
27-05-2024 23:59		Reconcile			Acrylonitrile	End of Month Reconciliation	2386107	2,516 KG (Air)	3,105 LT	20 BBL at 60	835,631 KG	1,031,106 LT	6,490 BBL at 60

Customer service email:

Visit us: https://www.vopak.com/terminals/thai-tank-terminal/?language_content_entity=en

All transactions are subject to our General Terms & Conditions. 2

Thai Tank Terminal
Tank Report (simplified version)

Report Date 2024-06-04 13:08

From Date 2024-05-01 00:00

To Date 2024-06-01 00:00



PTT Asahi Chemical Company Limited

555/1 Energy Complex, Building A, 8th Floor,, 10900,
Bangkok, Thailand

Tank	Product	Opening stock			Inbound confirmed			Outbound confirmed			Adjustments & month end reconcile			Closing stock		
		KG	LT	BBL	KG	LT	BBL	KG	LT	BBL	KG	LT	BBL	KG	LT	BBL
TK0307	Acrylonitrile	0	0	0	827,176	1,020,673	6,425	0	0	0	97	119	1	827,273	1,020,792	6,425

Customer service email:

Visit us: https://www.vopak.com/terminals/thai-tank-terminal/?language_content_entity=en

All transactions are subject to our General Terms & Conditions. 1

Tank TK0307
Product on to date Acrylonitrile
Shell Capacity 1,150 CBM
Working Capacity 1,045,026 LT
Opening Balance 0 KG / 0 LT / 0 BBL at 60
Closing Balance 827,273 KG / 1,020,792 LT / 6,425 BBL at 60

Thai Tank Terminal
Tank Report (simplified version)

Report Date 2024-06-04 13:08
From Date 2024-05-01 00:00
To Date 2024-06-01 00:00



PTT Asahi Chemical Company Limited

555/1 Energy Complex, Building A, 8th Floor,, 10900, Bangkok

Start Date	End Date	Service Name	Source	Destination	Product	Customer Order Reference	Service Request Number	Confirmed Weight	Confirmed Volume	Confirmed Volume Secondary	Running Balance Weight	Running Balance Volume	Running Balance Volume Secondary
10-05-2024 21:25	11-05-2024 01:15	Incoming from marine vessel	TNS Logistic and agency Co. Ltd. PHUBAI PATTRA 5		Acrylonitrile	May_24	1002083 1 (1002083 1-3)	827,176 KG (Air)	1,020,673 LT	6,425 BBL at 60	827,176 KG	1,020,673 LT	6,425 BBL at 60
26-05-2024 23:59		Reconcile			Acrylonitrile	End of Month Reconciliation	2384097	97 KG (Air)	119 LT	1 BBL at 60	827,273 KG	1,020,792 LT	6,425 BBL at 60

Customer service email:

Visit us: https://www.vopak.com/terminals/thai-tank-terminal/?language_content_entity=en

All transactions are subject to our General Terms & Conditions. 2



88 อาคาร ปาไซ่ ทาวเวอร์ ชั้น 10
ถนนสีลม แขวงสุริยวงศ์ เขตบางรัก
กรุงเทพฯ 10500
โทร : 66(0) 2266 7748-50, 66(0) 2267 7931
โทรสาร : 66(0) 2237 6569

บริษัท ชินเคน (ประเทศไทย) จำกัด
SHINKEN (THAILAND) CO., LTD.
(Surveyors and Sworn Measurers)

10 FL., PASO TOWER, 88 SILOM ROAD,
SURIYAWONGSE, BANGRAK, BANGKOK
10500 THAILAND.
TEL : 66(0) 2266 7748-50, 66(0) 2267 7931
FAX : 66(0) 2237 6569

Report No. 24-MTC-0038

ORIGINAL


SURVEY REPORT

APPLICANT	: PTT Asahi Chemical Company Limited
NAME OF VESSEL	: M/T " PHUBAI PATTRA 5 " Voyage No.020D/24
PORT FROM / TO	: Port PTT Tank Terminal / Port Thai Tank Terminal
PLACE OF SURVEY	: Thai Tank Terminal Limited, Map Ta Phut, Thailand
DATE OF SURVEY	: May 10, 11 and 14 2024
DESCRIPTION OF CARGO	: Acrylonitrile
SHORE TANK NO.	: T-0305, T-0306 and T-0307
QUANTITY ON INVOICE	: <u>2,496.678 Metric Tons</u>

CONTENTS

A.	CERTIFICATE OF QUANTITY	(A)
B.	SHORE TANK MEASUREMENT REPORT	(B)
C.	ULLAGE REPORT	(C)
D.	SAMPLING REPORT	(D)
E.	LAST 3 CARGOS CARRIED OUT	(E)
F.	TIME SHEET	(F)




Mr. Masato Chimoto
Managing Director
May 15, 2024



88 อาคาร ปาโซ่ ทาวเวอร์ ชั้น 10
ถนนสีลม แขวงสุริยวงศ์ เขตบางรัก
กรุงเทพฯ 10500
โทร : 66(0) 2266 7748-50, 66(0) 2267 7931
โทรสาร : 66(0) 2237 6569

บริษัท ชินเคน (ประเทศไทย) จำกัด
SHINKEN (THAILAND) CO., LTD.
(Surveyors and Sworn Measurers)

10 FL., PASO TOWER, 88 SILOM ROAD,
SURIYAWONGSE, BANGRAK, BANGKOK
10500 THAILAND.
TEL : 66(0) 2266 7748-50, 66(0) 2267 7931
FAX : 66(0) 2237 6569

Report No. 24-MTC-0038(A)

ORIGINAL

CERTIFICATE OF QUANTITY

THIS IS TO CERTIFY THAT we, the undersigned General Marine Surveyors, held survey as follows:-

APPLICANT : PTT Asahi Chemical Company Limited
NAME OF VESSEL : M/T " PHUBAI PATTRA 5 " Voyage No.020D/24
PORT FROM / TO : Port PTT Tank Terminal / Port Thai Tank Terminal
PLACE OF SURVEY : Thai Tank Terminal Limited, Map Ta Phut, Thailand
DATE OF SURVEY : May 10, 11 and 14 2024
DESCRIPTION OF CARGO : Acrylonitrile
SHORE TANK NO. : T-0305, T-0306 and T-0307
QUANTITY ON INVOICE : 2,496.678 Metric Tons

QUANTITY RECEIVED

<u>TANK NO.</u>	<u>GAUGE</u> (M)	<u>APP. VOLUME</u> (KL)	<u>TEMP.</u> (°C)	<u>DENSITY</u> (@ 15°C)	<u>FACTOR</u> (Volume)	<u>FACTOR</u> (Kg/L)	<u>WEIGHT</u> (M/T in air)
<u>TANK NO.T-0305</u>							
Initial	Empty	0.000	0.00	0.8115	0.0000	0.8104	0.000
Final	13.153	1,040.083	23.10	0.8115	0.9890	0.8104	833.611
<u>Total :</u>							<u>833.611</u>
<u>TANK NO.T-0306</u>							
Initial	Empty	0.000	0.00	0.8115	0.0000	0.8104	0.000
Final	13.112	1,039.919	23.40	0.8115	0.9886	0.8104	833.143
<u>Total :</u>							<u>833.143</u>
<u>TANK NO.T-0307</u>							
Initial	Empty	0.000	0.00	0.8115	0.0000	0.8104	0.000
Final	12.956	1,026.402	19.10	0.8115	0.9944	0.8104	827.138
<u>Total :</u>							<u>827.138</u>
<u>Total Received ;</u>		<u>2,493.892</u>	<u>Metric Tons</u>				

Note) Condition of shore pipe line : When commence - Empty, When finished - Empty
Volume Correction Factor /°C : 0.00136



Mr. Masato Chimoto

Mr.Masato Chimoto
Managing Director
May 15, 2024



88 อาคาร ปาโซ่ ทาวเวอร์ ชั้น 10
ถนนสีลม แขวงสุริยวงศ์ เขตบางรัก
กรุงเทพฯ 10500
โทร : 66(0) 2266 7748-50, 66(0) 2267 7931
โทรสาร : 66(0) 2237 6569

บริษัท ชินเคน (ประเทศไทย) จำกัด
SHINKEN (THAILAND) CO., LTD.
(Surveyors and Sworn Measurers)

10 FL., PASO TOWER, 88 SILOM ROAD,
SURIYAWONGSE, BANGRAK, BANGKOK
10500 THAILAND.
TEL : 66(0) 2266 7748-50, 66(0) 2267 7931
FAX : 66(0) 2237 6569

Report No. 24-MTC-0038(B)

ORIGINAL

SHORE TANK MEASUREMENT REPORT

THIS IS TO CERTIFY THAT we, the undersigned General Marine Surveyors, held survey as follows:-

APPLICANT : PTT Asahi Chemical Company Limited
NAME OF VESSEL : M/T " PHUBAI PATTRA 5 " Voyage No.020D/24
PORT FROM / TO : Port PTT Tank Terminal / Port Thai Tank Terminal
PLACE OF SURVEY : Thai Tank Terminal Limited, Map Ta Phut, Thailand
DATE OF SURVEY : May 10, 11 and 14 2024
DESCRIPTION OF CARGO : Acrylonitrile
SHORE TANK NO. : T-0305, T-0306 and T-0307
QUANTITY ON INVOICE : 2,496.678 Metric Tons

QUANTITY RECEIVED FROM SHIP'S TANK

<u>TANK NO.</u>	<u>GAUGE</u> (M)	<u>APP. VOLUME</u> (KL)	<u>TEMP.</u> (°C)	<u>DENSITY</u> (@ 15°C)	<u>FACTOR</u> (Volume)	<u>WEIGHT</u> (Kg/L)	<u>WEIGHT</u> (M/T in air)
<u>TANK NO.T-0305</u>							
Initial	Empty	0.000	0.00	0.8115	0.0000	0.8104	0.000
Final	13.153	1,040.083	23.10	0.8115	0.9890	0.8104	833.611
<u>Total (1) :</u>							<u>833.611</u>

<u>TANK NO.T-0306</u>							
Initial	Empty	0.000	0.00	0.8115	0.0000	0.8104	0.000
Final	13.112	1,039.919	23.40	0.8115	0.9886	0.8104	833.143
<u>Total (2) :</u>							<u>833.143</u>

<u>TANK NO.T-0307</u>							
Initial	Empty	0.000	0.00	0.8115	0.0000	0.8104	0.000
Final	12.956	1,026.402	19.10	0.8115	0.9944	0.8104	827.138
<u>Total (3) :</u>							<u>827.138</u>

Total Received ; 2,493.892 Metric Tons

CONDITION OF SHORE PIPE LINES: WHEN COMMENCED.- Empty WHEN FINISHED.- Empty
Note)

- (1) Volume Correction Factor /°C : 0.00136
(2) Initial gauging time : at 00:25 hrs. on May 10, 2024
Final gauging time : at 15:00 hrs. on May 14, 2024



Mr. Masato Chimoto
Mr. Masato Chimoto
Managing Director
May 15, 2024



88 อาคาร ปาโซ่ ทาวเวอร์ ชั้น 10
ถนนสีลม แขวงสุริยวงส์ เขตบางรัก
กรุงเทพฯ 10500
โทร : 66(0) 2266 7748-50, 66(0) 2267 7931
โทรสาร : 66(0) 2237 6569

บริษัท ชินเคน (ประเทศไทย) จำกัด
SHINKEN (THAILAND) CO., LTD.
(Surveyors and Sworn Measurers)

10 FL., PASO TOWER, 88 SILOM ROAD,
SURIYAWONGSE, BANGRAK, BANGKOK
10500 THAILAND.
TEL : 66(0) 2266 7748-50, 66(0) 2267 7931
FAX : 66(0) 2237 6569

Report No. 24-MTC-0038(C)

ORIGINAL

ULLAGE REPORT

THIS IS TO CERTIFY THAT we, the undersigned General Marine Surveyors, held survey as follows:-

APPLICANT : PTT Asahi Chemical Company Limited
NAME OF VESSEL : M/T " PHUBAI PATTRA 5 " Voyage No.020D/24
PORT FROM / TO : Port PTT Tank Terminal / Port Thai Tank Terminal
PLACE OF SURVEY : Thai Tank Terminal Limited, Map Ta Phut, Thailand
DATE OF SURVEY : May 10, 11 and 14 2024
DESCRIPTION OF CARGO : Acrylonitrile
SHORE TANK NO. : T-0305, T-0306 and T-0307
QUANTITY ON INVOICE : 2,496.678 Metric Tons

QUANTITY ON THE VESSEL BEFORE DISCHARGE

DRAFT (Before Discharge) :		Fore	5.20 m	Aft.	5.60 m	HEEL	-Nil-
<u>TANK NO.</u>	<u>GAUGE</u>	<u>VOLUME</u>	<u>TEMP.</u>	<u>DENSITY</u>	<u>FACTOR</u>	<u>WEIGHT</u>	
	(M)	(KL)	(°C)	(@ 15°C)	(Volume)	(Kg/L)	(M/T in air)
1-P	5.952	281.732	21.3	0.8117	0.9914	0.8106	226.408
1-S	5.950	281.649	21.3	0.8117	0.9914	0.8106	226.341
2-P	5.443	323.582	21.3	0.8117	0.9914	0.8106	260.040
2-S	5.441	323.471	21.3	0.8117	0.9914	0.8106	259.951
3-P	6.019	312.824	21.3	0.8117	0.9914	0.8106	251.394
3-S	5.979	310.988	21.3	0.8117	0.9914	0.8106	249.919
4-P	5.571	333.462	21.3	0.8117	0.9914	0.8106	267.980
4-S	5.520	330.654	21.3	0.8117	0.9914	0.8106	265.723
5-P	5.943	303.780	21.3	0.8117	0.9914	0.8106	244.126
5-S	5.966	304.767	21.3	0.8117	0.9914	0.8106	244.921
Total :							2,496.803

Note)

Volume Correction Factor /°C : 0.00136
Density @ 15° C 0.8117 (In Vac.)

EMPTY CONFIRMATION

On completion of discharge to shore tank, we inspected above ship's tanks,
and found them to have been well stripped and emptied.



M. Masato
Mr. Masato Chimoto
Managing Director
May 15, 2024



88 อาคาร ปาโซ่ ทาวเวอร์ ชั้น 10
ถนนสีลม แขวงสุริยวงศ์ เขตบางรัก
กรุงเทพฯ 10500
โทร : 66(0) 2266 7748-50, 66(0) 2267 7931
โทรสาร : 66(0) 2237 6569

บริษัท ชินเคน (ประเทศไทย) จำกัด
SHINKEN (THAILAND) CO., LTD.
(Surveyors and Sworn Measurers)

10 FL., PASO TOWER, 88 SILOM ROAD,
SURIYAWONGSE, BANGRAK, BANGKOK
10500 THAILAND.
TEL : 66(0) 2266 7748-50, 66(0) 2267 7931
FAX : 66(0) 2237 6569

Report No. 24-MTC-0038(D)

ORIGINAL

SAMPLING REPORT

THIS IS TO CERTIFY THAT we, the undersigned General Marine Surveyors, held survey as follows:-

APPLICANT : PTT Asahi Chemical Company Limited
NAME OF VESSEL : M/T " PHUBAI PATTRA 5 " Voyage No.020D/24
PORT FROM / TO : Port PTT Tank Terminal / Port Thai Tank Terminal
PLACE OF SURVEY : Thai Tank Terminal Limited, Map Ta Phut, Thailand
DATE OF SURVEY : May 10, 11 and 14 2024
DESCRIPTION OF CARGO : Acrylonitrile
SHORE TANK NO. : T-0305, T-0306 and T-0307
QUANTITY ON INVOICE : 2,496.678 Metric Tons

SAMPLES

The samples were taken by us as listed below.

<u>SAMPLED FROM</u>	<u>KIND /SIZE & NUMBER</u>	<u>DISTRIBUTION</u>
(Ship's Tank)		
Nos.: 1W, 2W, 3W, 4W & 5W	Ship's tank sample / 500 cc x 30 bottles	For maker's analysis
Nos.: 1W, 2W, 3W, 4W & 5W	Ship's tank sample / 500 cc x 10 bottles	For Our retention
(Shore Line)		
End of shore Line	500 cc x 2 Bottles	For maker's analysis
Line Before to T-0305, T-0306 & T-0307	500 cc x 6 Bottles	For maker's analysis
First Foot from T-0305, T-0306 & T-0307	500 cc x 6 Bottles	For maker's analysis
(Shore Tank)		
Nos.: T-0305, T-0306 and T-0307	Shore tank sample / 500 cc x 1 per tank	For maker's analysis
Nos.: T-0305, T-0306 and T-0307	Shore tank sample / 500 cc x 1 per tank	For maker's retention

N.B.) Sample taken for us will be retained for 90 days unless advised otherwise.



Mr. Masato Chimoto

Mr. Masato Chimoto
Managing Director
May 15, 2024



88 อาคาร ปาไซ่ ทาวเวอร์ ชั้น 10
ถนนสีลม แขวงสุริยวงศ์ เขตบางรัก
กรุงเทพฯ 10500
โทร : 66(0) 2266 7748-50, 66(0) 2267 7931
โทรสาร : 66(0) 2237 6569

บริษัท ชินเคน (ประเทศไทย) จำกัด
SHINKEN (THAILAND) CO., LTD.
(Surveyors and Sworn Measurers)

10 FL., PASO TOWER, 88 SILOM ROAD,
SURIYAWONGSE, BANGRAK, BANGKOK
10500 THAILAND.
TEL : 66(0) 2266 7748-50, 66(0) 2267 7931
FAX : 66(0) 2237 6569

Report No. 24-MTC-0038(E)

ORIGINAL

LAST 3 CARGOS CARRIED OUT

THIS IS TO CERTIFY THAT we, the undersigned General Marine Surveyors, held survey as follows:-

APPLICANT : PTT Asahi Chemical Company Limited
NAME OF VESSEL : M/T " PHUBAI PATTRA 5 " Voyage No.020D/24
PORT FROM / TO : Port PTT Tank Terminal / Port Thai Tank Terminal
PLACE OF SURVEY : Thai Tank Terminal Limited, Map Ta Phut, Thailand
DATE OF SURVEY : May 10, 11 and 14 2024
DESCRIPTION OF CARGO : Acrylonitrile
SHORE TANK NO. : T-0305, T-0306 and T-0307
QUANTITY ON INVOICE : 2,496.678 Metric Tons

CONDITION OF THE VESSEL'S CARGO TANKS

<u>Previous cargo</u>	<u>Tank Nos.</u>	<u>last</u>	<u>2nd</u>	<u>3rd</u>
	1-P	: Cyclohexane	Cyclohexane	Xylene
	1-S	: Cyclohexane	Cyclohexane	Xylene
	2-P	: Cyclohexane	Cyclohexane	White Spirit
	2-S	: Cyclohexane	Cyclohexane	Xylene
	3-P	: Cyclohexane	Cyclohexane	A100
	3-S	: Cyclohexane	Cyclohexane	A100
	4-P	: Cyclohexane	Cyclohexane	Acetone
	4-S	: Cyclohexane	Cyclohexane	Acetone
	5-P	: Cyclohexane	Cyclohexane	Xylene
	5-S	: Cyclohexane	Cyclohexane	Xylene

Kind of tank skin All Tanks : Stainless Steel 316



M. Chimoto
Mr. Masato Chimoto
Managing Director
May 15, 2024



88 อาคาร ปาโจ ทาวเวอร์ ชั้น 10
ถนนสีลม แขวงสุริยวงส์ เขตบางรัก
กรุงเทพฯ 10500
โทร : 66(0) 2266 7748-50, 66(0) 2267 7931
โทรสาร : 66(0) 2237 6569

บริษัท ชินเคน (ประเทศไทย) จำกัด
SHINKEN (THAILAND) CO., LTD.
(Surveyors and Sworn Measurers)

10 FL., PASO TOWER, 88 SILOM ROAD,
SURIYAWONGSE, BANGRAK, BANGKOK
10500 THAILAND.
TEL : 66(0) 2266 7748-50, 66(0) 2267 7931
FAX : 66(0) 2237 6569

Report No. 24-MTC-0038(F)

ORIGINAL

TIME SHEET


THIS IS TO CERTIFY THAT we, the undersigned General Marine Surveyors, held survey as follows:-

APPLICANT : PTT Asahi Chemical Company Limited
NAME OF VESSEL : M/T " PHUBAI PATTRA 5 " Voyage No.020D/24
PORT FROM / TO : Port PTT Tank Terminal / Port Thai Tank Terminal
PLACE OF SURVEY : Thai Tank Terminal Limited, Map Ta Phut, Thailand
DATE OF SURVEY : May 10, 11 and 14 2024
DESCRIPTION OF CARGO : Acrylonitrile
SHORE TANK NO. : T-0305, T-0306 and T-0307
QUANTITY ON INVOICE : 2,496.678 Metric Tons

TIME LOG

Notice of Readiness Tendered	1506 hrs / May 9, 2024
Notice of Readiness Accepted	2306 hrs / May 9, 2024
H/UP Anchored at Maptaphut	2200 hrs / May 9, 2024
Berthed at Thai Tank Terminal # Jetty No.1	2306 hrs / May 9, 2024
Our surveyors on board	2310 hrs / May 9, 2024
Completed Hoset Connected	0025 hrs / May 10, 2024
Commenced measuring before discharge	0005 hrs / May 10, 2024
Completed calculation and figures agreed	0025 hrs / May 10, 2024
Commenced Discharge	0835 hrs / May 10, 2024
Completed Discharge	0115 hrs / May 11, 2024
Vessel tank accepted to be well - drained	0130 hrs / May 11, 2024
Completed Blowing	0140 hrs / May 11, 2024
Completed Hoset Disconnected	0150 hrs / May 11, 2024
Completed document onboard	0200 hrs / May 11, 2024
Vessel unberth / Sailing	0230 hrs / May 11, 2024
Remark	
Awaiting Shore readiness.	0025-0830 hrs / May 10, 2024




Mr. Masato Chimoto
Managing Director
May 15, 2024